

# RETAIL ENERGY CODE

10241 CONSEQUENTIAL CHANGE –  
DTN MARKET MESSAGES

06.05.2025



# CONSEQUENTIAL CHANGE UPDATES

- I0241 is also considering potential scope items that capture alignments with the MHHS design that were not previously captured in the REC Code Drafting

Description	Code Artefact	M8 Change Control Ref
D0386 validation – J2240 New enumeration	EMDS	M8-248
D0300 Meter Register Id note	EMDS	M8-273
Missing D0383 and D0384 Scenario Variants	EMDS	M8-274

- Changes to REC-owned Market Messages and Data Items are considered REC Consequential Changes to support the design

# D0386 VALIDATION – J2240 NEW ENUMERATION

- DEL961 Migration Design Document includes the addition of a new validation for the D0386 (MM00378) 'Manage Metering Point Relationships'
- Not previously captured in the approved REC code drafting under R0209

## 13.1.9 D0386

1. The structure of the D0386 will not change.
  2. New validation rule will be applied to the D0386:
    - a. "Reject if Forward Migration underway or MPAN is MHHS"
  3. Data Item 'Related MPAN Response Code' (J2240) related enumeration will include 1 additional value:
    - a. Enumeration Value: Y; Enumeration Description: Forward Migration Underway or MPAN is MHHS
  4. Business Rules:
    - a. If a Forward Migration is underway or MPAN is already MHHS and a D0386 is sent, this will be rejected. A D0386 will be sent back with enumeration value Y in the 'Related MPAN Response Code' data item to specify the rejection reason.
- REC Code Drafting – Consequential Change update required to REC-owned J2240

## D0300 METER REGISTER ID NOTE

- REC Consequential Change – REC-Owned Market Messages included a change to include a note in the D0300 (MM00231) 'Disputed Readings or Missing Readings on Change of Supplier'
- The current Data Item Rule:
  - is included against Meter Register Id data item in the D0300
  - is applicable to all associated Scenario Variants
  - refers to Cumulative Register Reading
- Proposed change:
  - Amend the note as follows: 'For MHHS Metering Points, this Data Item should be populated with details of the cCumulative rRegister Reading for Smart Metering Assets'
- Impact already considered during REC Consequential Change - wording clarification only
- **REC Code Drafting – Consequential Change update required to REC-owned D0300**

# MISSING SCENARIOS VARIANTS FOR D0383 AND D0384

- MHHS design specifies that the **D0383** (MM00372) 'Notification of Commissioning Status' and **D0384** (MM00370) 'Notification of Commissioning Information' will be sent by the Losing MOA to the Gaining MOA on Forward and Reverse Migration
- Schedule XX – MHHS Migration, approved under R0209, includes this obligation but **Scenario Variants to support Legacy MOA to Advanced MOA (and vice versa)** have not been included in the data specification via the 'REC Consequential Change – REC-Owned Market Messages'
- MHHS Design references:
  - Change of Service – Metering Service - Forward Migration
  - Change of Service – Metering Service - Reverse Migration
- Impact already considered during MHHS Migration Design and included in the baselined design documents
- **REC Code Drafting – Consequential Change update required REC-owned D0383 and D0384**
  - Electricity Meter Equipment Manager to Electricity Advanced Meter Equipment Manager
  - Electricity Advanced Meter Equipment Manager to Electricity Meter Equipment Manager